


































OUTLET VIDEO AND ALARM PRODUCTS MARCH 2023

			materia I code	PCS on STOCK	price EUR/pc
	IP WI-FI HIKVISION CAMERA	DS-2CD2041G1-IDW1 2,8mm , IP Wi-Fi camera 4 Mpx, 1/3"Progressiv CMOS, resolution 2560x1440, H265+, H265, H264+, H264 , built-in microphone, IR cut, DWDR, IR up to 50m, 12 Vdc, IP66, options junction box DS-1280ZJ-S	99780	93	42
	IP WI-FI HIKVISION CAMERA	DS-2CD2141G1-IDW1 2,8mm , IP Wi-Fi camera v kupoli, 4 Mpx, 1/3"Progressiv CMOS, resolution 2560x1440, H265+, H265, H264+, H264 , builtin microphone , IR cut, DWDR, IR up to 50m, 12 Vdc	99779	58	43
	IP HIKVISION CAMERA	DS-2CD1H21WD-IZ , IP camera HIK 2 megapixel , Dome Outdoor , H264+,H264 , 1/2,8" Progressive CMOS, ICR,20-30m IR Range , 0.01lux/F1.2 AGC on, 0 lux with IR, 1920x1080 , 2.8~12mm/F1.4 MOTO ZOOM , avto focus lens , 3D DNR , BLC,WDR 120dB , 12 Vdc/POE , Onvif , IP67	62067	17	59
	IP HIKVISION CAMERA	DS-2CD1721FWD-IZ , IP camera HIK 2 megapixel , Kupola Outdoor , H264+,H264 , kompresija , 1/2,8" Progressive CMOS, ICR, 30m IR Range , 0.01lux/F1.2 AGC on, 0 lux with IR, 1920x1080 , 2.8~12mm/F1.4 MOTO ZOOM , avto focus lens , 3D DNR , BLC,WDR 120dB , 12 Vdc/POE , Onvif , IP67 IK10 , antivandal	62065	102	75
	IP HIKVISION CAMERA	DS-2CD 1621FWD-IZ , IP camera HIK 2 megapixel , Bullet Outdoor , H264+ , H264 kompresija , 1/2,8" Progressive CMOS, ICR, 30m IR Range , 0.01lux/F1.2 AGC on, 0 lux with IR, 1920x1080 , 2.8~12mm/F1.4 MOTO ZOOM , avto focus lens , 3D DNR , BLC,WDR 120dB , 12 Vdc/POE , Onvif , IP67	62053	33	75
	IP HIKVISION CAMERA	DS-2CD 2722FWD-IZS , IP camera HIK 2 megapixel , Dome Outdoor , H 264+ kompresija , 1/3" Progressive CMOS, ICR, 30m IR Range , 0.01lux/F1.2 AGC on, 0 lux with IR, 1920x1080 , 2.8~12mm/F1.4 MOTO ZOOM , avto focus lens , 3D DNR , BLC , DWDR , SD Slot to 64Gb , Voice , 12 Vdc/POE , Onvif , IP66 , antivandal	92351	16	82
	IP HIKVISION CAMERA	DS-2CD 2712F-I , IP camera HiK 1.3 megapixel , Dome Outdoor, 1/3" Progressive CMOS, 1280*960@25fps , 2,8 - 12 mm lens , auto-iris, 0.01 Lux@F1.2, 0 Lux@IR, ICR, 30m IR Range , vandal proof outdoor IP 66 , SLOT for SD card up to 64Gb, DC12V/PoE , 3D DNR , DWDR , BLC , Onvif	92108	14	55
	IP HIKVISION CAMERA	DS-2CD 2720F-I , IP camera HiK 2 megapixel , Dome Outdoor, 1/3" Progressive CMOS, @25fps, 2,8 - 12 mm lens , auto-iris, 0.01 Lux@F1.2, 0 Lux@IR, ICR, 30m IR Range , vandal proof outdoor IP 66 , SLOT for SD card up to 64Gb, DC12V/PoE , 3D DNR , DWDR , BLC , Onvif	92307	3	55

	IP HIKVISION CAMERA	DS-2CD 2742F-I , IP camera HiK 4 megapixel , Dome Outdoor, 1/3" Progressive CMOS, 2688*1520@25fps, 2,8 - 12 mm lens , auto-iris, 0.01 Lux@F1.2, 0 Lux@IR, ICR, 30m IR Range, vandal proof outdoor IP 66 , SLOT for SD card up to 64Gb, DC12V/PoE, 3D DNR, DWDR , BLC , Onvif	92319	1	75
	IP HIKVISION CAMERA	DS-2CD 2742FWD-IZS , IP camera HiK 4 megapixel , Dome Outdoor, 1/3" Progressive CMOS, 2688*1520@25fps, Moto-zoom 2,8 - 12 mm lens , auto-iris, 0.01 Lux@F1.2, 0 Lux@IR, ICR, 30m IR Range, vandal proof outdoor IP 66 , SLOT for SD card up to 64Gb, DC12V/PoE, 3D DNR, DWDR , BLC , Onvif	92355	7	85
	IP HIKVISION CAMERA	DS-2CD 2622FWD-IZS , IP camera HIK 2 megapixel , Bullet Outdoor , H 264 kompresija , 1/3" Progressive CMOS, ICR, 30m IR Range , 0.01lux/F1.2 AGC on, 0 lux with IR, 1920x1080 , 2,8~12mm/F1.4 MOTO ZOOM,avto focus lens, 3D DNR, BLC, DWDR , SD Slot up to 64Gb, Voice , 12 Vdc/POE , Onvif, IP66	92350	28	82
	IP HIKVISION CAMERA	DS-2CD2612F-I , IP camera HIK 1,3 megapixel , Bullet Outdoor , 1/3" Progressive CMOS, H 264 , ICR, 30m IR Range , 0.01lux/F1.2 AGC on, 0 lux with IR, 1280x960.:25fps, varifocal lens 2,8~12mm/F1.4 lens, SLOT for SD card up 32 Gb, 3D DNR, BLC, DWDR , 12Vdc/POE , Onvif	92111	32	55
	IP HIKVISION CAMERA	DS-2CD 2510F-I , IP camera HiK 1,3 megapixel , Mini Dome, 1/3" CMOS, 1280 x 960, DWDR, 3D DNR , BLC , micro SD slot, 4 mm lens , F1.2, 1.1Lux@F1.8, vandal-proof, outdoor (IP67), DC12V/PoE	92313	41	28
	IP HIKVISION CAMERA	DS-2CD 2510F-I , IP camera HiK 1,3 megapixel , Mini Dome, 1/3" CMOS, 1280 x 960, DWDR, 3D DNR , BLC , micro SD slot, 2,8 mm lens , F1.2, 1.1Lux@F1.8, vandal-proof, outdoor (IP67), DC12V/PoE	92313	10	28
	IP HIKVISION CAMERA	DS-2CD 2512F-I , IP camera HiK 1,3 megapixel , Mini Dome, 1/3" CMOS, 1280 x 960, day/night IR cut, IR LED up 10m, DWDR,3D DNR , BLC , micro SD slot, 2,8 mm lens , F1.2, 1.1Lux@F1.8, vandal-proof, outdoor (IP66), DC12V/PoE	92079	11	32
	IP HIKVISION CAMERA	DS-2CD2312-I , IP camera HIK 1.3 megapixel , Dome outdoor , 1/3" Progressive CMOS, EXIR ICR, 30m IR Range , 0.01lux/F1.2, 1280x960:25fps, outdoor IP66, DC12V/PoE, 2,8mm /F2.0 lens, 3D DNR, BLC, DWDR	92087	12	34
	IP HIKVISION CAMERA	DS-2CD2312-I , IP camera HIK 1.3 megapixel , Dome outdoor , 1/3" Progressive CMOS, EXIR ICR, 30m IR Range , 0.01lux/F1.2, 1280x960:25fps, outdoor IP66, DC12V/PoE, 4 mm /F2.0 lens, 3D DNR, BLC, DWDR	92087	14	34
	IP HIKVISION CAMERA	DS-2DE 2103-DE3W , IP camera HiK 1 megapixel , Mini PTZ Dome, 1/3" CMOS, 1280x720, EIS, DWDR, 3D dNR , BLC , IR CUT filter , focal lens 3,6-11 mm (3x zoom) , 16 x digital zoom , F2.0, 8 privacy masks , PAN-TILT , PAN-0-350" , TILT 0-90" , 300 preset , Detection (intrusion , line crossing , audio exception detection) , Alarm I/O , DC12V/PoE	92309	4	82

	ANALOG 1080P HIKVISION CAMERA	DS-2CE16D8T-IT5F , FULL HD 1080p , 2MP CMOS sensor , 8 mm lens, HD output (TVI/AHD/CVI/CVBS), day/night IR cut , Ultra Low-Light , 0.005 Lux@F1.2, 0 Lux@IR, 3D DNR , EXIR do 80 m , WDR 120db , AGC, 12 dcV, IP67, (options box DS-1280ZJ-XS,)	93333	32	33
	ANALOG 720P HIKVISION CAMERA	DS-2CE16C0T-IT5 , Turbo HD EXIR 720P camera HiK , Bullet Outdoor, 1MP Progressive CMOS, 1296*732 , 3,6 mm lens , auto-iris IR cut , 0.1 Lux@F1.2, 0 Lux@IR, ICR, up to 80m IR Range, AES , 25 fps, outdoor IP 66, DC12V	99825	1	22
	ANALOG 720P HIKVISION CAMERA	DS-2CE16C0T-IR , Turbo HD 720P camera HiK , Bullet Outdoor, 1/3" Progressive CMOS, 1280*720 , 3,6 mm lens , auto-iris IR cut , 0.1 Lux@F1.2, 0 Lux@IR, ICR, up to 20m IR Range, AES , 25 fps, outdoor IP 66, DC12V	99826	14	16
	ANALOG 720P HIKVISION CAMERA	DS-2CE16C0T-IR , Turbo HD 720P camera HiK , Bullet Outdoor, 1/3" Progressive CMOS, 1280*720 , 3,6 mm lens , auto-iris IR cut , 0.1 Lux@F1.2, 0 Lux@IR, ICR, up to 20m IR Range, AES , 25 fps, outdoor IP 66, DC12V	99826	13	16
	ANALOG 720P HIKVISION CAMERA	DS-2CE16C2T-IR , Turbo HD 720P camera HiK , Bullet Outdoor, 1/3" Progressive CMOS, 1280*720 , 2,8 mm lens , auto-iris IR cut , 0.01 Lux@F1.2, 0 Lux@IR, ICR, up to 20m IR Range, AES , 25 fps, outdoor IP 66, DC12V	99834	5	16
	ANALOG 720P HIKVISION CAMERA	DS-2CE56C0T-IRMM , Turbo HD 720P camera HiK , Dome indoor, 1/3" Progressive CMOS, 1280*720 , 2,8 mm lens , auto-iris IR cut , 0.1 Lux@F1.2, 0 Lux@IR, ICR, up to 20m IR Range, AES , 25 fps, outdoor IP 66, DC12V	99827	18	14
	ANALOG 720P HIKVISION CAMERA	DS-2CE56C0T-IRMM , Turbo HD 720P camera HiK , Dome Indoor, 1/3" Progressive CMOS, 1280*720 , 3,6 mm lens , auto-iris IR cut , 0.1 Lux@F1.2, 0 Lux@IR, ICR, up to 20m IR Range, AES , 25 fps, outdoor IP 66, DC12V	99827	30	14
	ANALOG 720P HIKVISION CAMERA	DS-2CE56C2T-IT3 , Turbo HD 720P camera HiK , Dome Outdoor, 1/3" Progressive CMOS, 1280*720 , 2,8 mm lens , auto-iris IR cut , 0.01 Lux@F1.2, 0 Lux@IR, ICR, up to 40m IR Range, AES , 25 fps, outdoor IP 66, DC12V	99861	29	18
	ANALOG 1080P HIKVISION CAMERA	DS-2CE56D1T-IRMM , Turbo FULL HD 1080P camera HiK , Weatherproof Outdoor, 1/2,7" Progressive CMOS, 1920x1080 , 3,6 mm lens , auto-iris IR cut , 0.01 Lux@F1.2, 0 Lux@IR, ICR, up to 20m IR Range, AES , 25 fps, outdoor IP 66, DC12V	99849	72	26
	ANALOG 1080P HIKVISION CAMERA	DS-2CE16D9T-AIRAZH 5-50mm moto zoom ,Turbo FULL HD 1080p, CMOS,IR CUT day-night, IR do 110 m,Privacy mask, Motion detector, Outdoor EXIR Bullet, ICR, 0.003 Lux/F1.2, Digital zoom 62x,Defog,Slow shutter,Mirror, 12 VDC, 24Vac, Smart IR, DNR, WDR 120 db, IP66, options junction box DS-1280ZJ-S	95278	82	66
	DVR HIKVISION	DS-7604HI-ST/A , hybrid video recorder up to 8 cameras , up to 4 analog cameras , up to 5MP resolution recording, Max 8 cameras , HDMI & VGA, 1 SATA interface, 2x USB2.0, Alarm In/Out - 4/1 ,1U housing 19" , Onvif , support Android , iPAD2 , iPhone	99961	4	40

	DVR HIKVISION	DS-7316HQHI-K4 , analog TURBO HD real-time recorder up to 16 analog cameras, H.265+,H.265,H.264+,H.264 , input - PAL , HDTVI , AHD , HDCVI , CVBS , 8 - 24 IP cameras 6 megapixel or PAL cameras , 16 x BNC input , HDMI(do 3840x2160)/VGA output,up 1920 x 1080 resolution , 4 x SATA interface(do 8 Tb disk) , 2 x USB port , LAN , RS 485 Android , iPad2 , Iphone	93468	10	340
	TOROIDAL TRANSFORMER	TSTAS 50/12 , Toroidal transformer, 50W, 16,5V	94500	127	6,4
	TOROIDAL TRANSFORMER	TSTAS 50/24 , Toroidal transformer, 50W, 24V	94501	24	6,4
	TRANSFORMER	AWT 102 , Transformer 16/18V, 30VA, DIN RAIL	93192	15	12
	TRANSFORMER	AWT 250 , Transformator 16/18V, 80VA,DIN RAIL	93194	10	22
	CROW IR+MW DETECTOR	D&D , IR+MW detector, indoor/outdoor, up to 18m, IP65, 12V DC, 8.4 mA	71022	8	45
	CROW IR+MW DETECTOR	SRX-360 , IR+MW ceiling detector, Ø20m@ 360°, 12V DC, poraba 9 mA	71146	56	30
	ELMO outdoor sirens	SA 301 ,Self - powered outdoor siren, 113 db , dim. 202x242x90 , 1,2 kg , backup battery AKU 12V/1,2Ah (not including)	70900	22	32
	ROEL outdoor sirens	SA-11 , Self - powered outdoor siren 128 db/m , backup battery AKU 12V7Ah (Not including)	93130	97	22
	OEM indoor sirens	HC - 801 , Piezo siren , indoor , 103 db,12 VDC,300 mA	70891	320	3
	VIDICON indoor sirens	SV-101 , Piezo siren outdoor , 115 db , 6 - 12 VDC, 250 mA , 190x110x70 mm	93131	85	8
	OEM standalone card reader	KTZ001-EM , standalone card reader , up to 2000 cards , 1 relay output , 12 VDC , IP 66	98057	264	15
	OEM standalone keypad	K30 , standalone keypad , plastick housing , up to 2000 users, 1 relay output (max 3 A) , 4 digit , indoor, 12 DC	99416	36	10
	PULSAR	PSUPS10A12CRT , Power supply for up to 8 HD cameras and DVR with recorder space + transmitters in metal box , output 8 x 13,8Vdc + 1 x 12 Vdc 5A , over voltage protection , tehcnical output, space for AKU 2x12V 17Ah and DVR		1	120

	PULSAR	R812T ,Profesional power supply RACK unit , output 8 x 12 DC 1 A , the adjustment of output voltage in range 12V-15V DC available from the front panel of the power supply unit , LED optical indicator , over voltage protection , tehcnical output, 176-264 VAC		1	125
	PULSAR	RAC24T ,Profesional power supply RACK unit, output 8 x 24 AC 1 A , LED optical indicator, over voltage protection, tehcnical output, 195-253 VAC		1	120
	PULSAR	RP 848 ,Profesional power supply- POE , RACK unit, output 8 x POE (48 VDC, 0,3 A) , LED optical indicator for ich output, over vottage protection, tehcnica output,176-264 VAC	98873	1	55
	PULSAR	RP 1648 ,Profesional power supply- POE , RACK unit, output 16 x POE (48 VDC, 0,3 A) , LED optical indicator for ich output, over vottage protection, tehcnica output,176-264 VAC	98887	1	145
		V PRIMERU NAROČILA OBVEZNO NAVEDITE , DA JE NAROČILO NA OSNOVI OUTLET PONUDBE			