































## OUTLET PRODUCTS 2. DEC. 2021

			materia I code	PCS on STOCK	price EUR/pc
	<b>IP HIKVISION CAMERA</b>	<b>DS-2CD1H21WD-IZ</b> , IP camera HIK <b>2 megapixel</b> , <b>Dome Outdoor</b> , <b>H264+,H264</b> , 1/2,8" Progressive CMOS, <b>ICR,20- 30m IR Range</b> , 0.01lux/F1.2 AGC on, 0 lux with IR, <b>1920x1080</b> , <b>2.8~12mm/F1.4 MOTO ZOOM</b> , <b>avto focus lens</b> , <b>3D DNR</b> , <b>BLC,WDR 120dB</b> , <b>12 Vdc/POE</b> , <b>Onvif</b> , <b>IP67</b>	62067	18	59
	<b>IP HIKVISION CAMERA</b>	<b>DS-2CD1721FWD-IZ</b> , IP camera HIK <b>2 megapixel</b> , <b>Kupola Outdoor</b> , <b>H264+,H264</b> , <b>kompresija</b> , 1/2,8" Progressive CMOS, <b>ICR, 30m IR Range</b> , 0.01lux/F1.2 AGC on, 0 lux with IR, <b>1920x1080</b> , <b>2.8~12mm/F1.4 MOTO ZOOM</b> , <b>avto focus lens</b> , <b>3D DNR</b> , <b>BLC,WDR 120dB</b> , <b>12 Vdc/POE</b> , <b>Onvif</b> , <b>IP67 IK10</b> , <b>,antivandal</b>	62065	105	75
	<b>IP HIKVISION CAMERA</b>	<b>DS-2CD 1621FWD-IZ</b> , IP camera HIK <b>2 megapixel</b> , <b>Bullet Outdoor</b> , <b>H264+ H264 kompresija</b> , 1/2,8" Progressive CMOS, <b>ICR, 30m IR Range</b> , 0.01lux/F1.2 AGC on, 0 lux with IR, <b>1920x1080</b> , <b>2.8~12mm/F1.4 MOTO ZOOM</b> , <b>avto focus lens</b> , <b>3D DNR</b> , <b>BLC,WDR 120dB</b> , <b>12 Vdc/POE</b> , <b>Onvif</b> , <b>IP67</b>	62053	45	75
	<b>IP HIKVISION CAMERA</b>	<b>DS-2CD 2722FWD-IZS</b> , IP camera HIK <b>2 megapixel</b> , <b>Dome Outdoor</b> , <b>H 264+ kompresija</b> , 1/3" Progressive CMOS, <b>ICR, 30m IR Range</b> , 0.01lux/F1.2 AGC on, 0 lux with IR, <b>1920x1080</b> , <b>2.8~12mm/F1.4 MOTO ZOOM</b> , <b>avto focus lens</b> , <b>3D DNR</b> , <b>BLC</b> , <b>DWDR</b> , <b>SD Slot to 64Gb</b> , <b>Voice</b> , <b>12 Vdc/POE</b> , <b>Onvif</b> , <b>IP66</b> , <b>,antivandal</b>	92351	78	82
	<b>IP HIKVISION CAMERA</b>	<b>DS-2CD 2712F-I</b> , IP camera HiK <b>1.3 megapixel</b> , <b>Dome Outdoor</b> , 1/3" Progressive CMOS, <b>1280*960@25fps</b> , <b>2,8 - 12 mm lens</b> , auto-iris, 0.01 Lux@F1.2, 0 Lux@IR, <b>ICR, 30m IR Range</b> , <b>vandal proof outdoor IP 66</b> , SLOT for SD card up to 64Gb, <b>DC12V/PoE</b> , <b>3D DNR</b> , <b>DWDR</b> , <b>BLC</b> , <b>Onvif</b>	92108	15	55
	<b>IP HIKVISION CAMERA</b>	<b>DS-2CD 2622FWD-IZS</b> , IP camera HIK <b>2 megapixel</b> , <b>Bullet Outdoor</b> , <b>H 264 kompresija</b> , 1/3" Progressive CMOS, <b>ICR, 30m IR Range</b> , 0.01lux/F1.2 AGC on, 0 lux with IR, <b>1920x1080</b> , <b>2.8~12mm/F1.4 MOTO ZOOM</b> , <b>avto focus lens</b> , <b>3D DNR</b> , <b>BLC</b> , <b>DWDR</b> , <b>SD Slot up to 64Gb</b> , <b>Voice</b> , <b>12 Vdc/POE</b> , <b>Onvif</b> , <b>IP66</b>	92350	29	82
	<b>IP HIKVISION CAMERA</b>	<b>DS-2CD2620F-I</b> , IP camera HIK <b>2 megapixel</b> , <b>HD real-time video</b> , <b>Bullet Outdoor</b> , 1/3" Progressive CMOS, <b>H 264</b> , <b>ICR, 30m IR Range</b> , 0.07lux/F1.2 AGC on, 0 lux with IR, <b>1920x1080</b> , <b>2.8~12mm/F1.4 lens</b> , SLOT for SD up to 64 Gb, <b>3D DNR</b> , <b>BLC</b> , <b>DWDR</b> , <b>12Vdc/POE</b> , <b>Onvif</b>	92303	5	65

	<b>IP HIKVISION CAMERA</b>	<b>DS-2CD2612F-I</b> , IP camera HIK <b>1,3 megapixel</b> , <b>Bullet Outdoor</b> , 1/3" Progressive CMOS, <b>H 264</b> , <b>ICR, 30m IR Range</b> , 0.01lux/F1.2 AGC on, 0 lux with IR, <b>1280x960</b> ,:25fps, <b>varifocal lens 2.8-12mm/F1.4 lens</b> , <b>SLOT for SD card up 32 Gb</b> , <b>3D DNR, BLC, DWDR</b> , <b>12Vdc/PoE</b> , <b>Onvif</b>	92111	32	55
	<b>IP HIKVISION CAMERA</b>	<b>DS-2CD 2010-I</b> , IP camera HiK <b>1.3 megapixel</b> , <b>Bullet Outdoor</b> , 1/3" Progressive CMOS, <b>1280*960@25fps</b> , <b>4 mm lens</b> , auto-iris IR cut , 0.01 Lux@F1.2, 0 Lux@IR, <b>ICR, 20m - 30m IR Range</b> , outdoor, <b>DC12V/PoE</b> , <b>Onvif</b>	92300	17	30
	<b>IP HIKVISION CAMERA</b>	<b>DS-2CD 2510F-I</b> , IP camera HiK <b>1,3 megapixel</b> , <b>Mini Dome</b> , 1/3" CMOS, <b>1280 x 960</b> , <b>DWDR, 3D DNR</b> , <b>BLC</b> , micro SD slot, <b>4 mm lens</b> , F1.2, 1.1Lux@F1.8, <b>vandal-proof, outdoor (IP67)</b> , <b>DC12V/PoE</b>	92313	41	28
	<b>IP HIKVISION CAMERA</b>	<b>DS-2CD 2510F-I</b> , IP camera HiK <b>1,3 megapixel</b> , <b>Mini Dome</b> , 1/3" CMOS, <b>1280 x 960</b> , <b>DWDR, 3D DNR</b> , <b>BLC</b> , micro SD slot, <b>2,8 mm lens</b> , F1.2, 1.1Lux@F1.8, <b>vandal-proof, outdoor (IP67)</b> , <b>DC12V/PoE</b>	92313	10	28
	<b>IP HIKVISION CAMERA</b>	<b>DS-2CD 2512F-I</b> , IP camera HiK <b>1,3 megapixel</b> , <b>Mini Dome</b> , 1/3" CMOS, <b>1280 x 960</b> , <b>day/night IR cut, IR LED up 10m</b> , <b>DWDR,3D DNR</b> , <b>BLC</b> , micro SD slot, <b>2,8 mm lens</b> , F1.2, 1.1Lux@F1.8, <b>vandal-proof, outdoor (IP66)</b> , <b>DC12V/PoE</b>	92079	16	32
	<b>IP HIKVISION CAMERA</b>	<b>DS-2CD2312-I</b> , IP camera HIK <b>1.3 megapixel</b> , <b>Dome outdoor</b> , 1/3" Progressive CMOS, <b>EXIR ICR, 30m IR Range</b> , 0.01lux/F1.2, <b>1280x960</b> :25fps, <b>outdoor IP66</b> , <b>DC12V/PoE</b> , <b>2,8mm /F2.0 lens</b> , <b>3D DNR, BLC, DWDR</b>	92087	14	34
	<b>IP HIKVISION CAMERA</b>	<b>DS-2CD2312-I</b> , IP camera HIK <b>1.3 megapixel</b> , <b>Dome outdoor</b> , 1/3" Progressive CMOS, <b>EXIR ICR, 30m IR Range</b> , 0.01lux/F1.2, <b>1280x960</b> :25fps, <b>outdoor IP66</b> , <b>DC12V/PoE</b> , <b>4 mm /F2.0 lens</b> , <b>3D DNR, BLC, DWDR</b>	92087	33	34
	<b>IP HIKVISION CAMERA</b>	<b>DS-2CD2332-I</b> , IP camera HIK <b>3 megapixel</b> , <b>Dome outdoor</b> , 1/3" Progressive CMOS, <b>EXIR ICR, 30m IR Range</b> , 0.01lux/F1.2, <b>2048 x 1536</b> :25fps, <b>outdoor IP66</b> , <b>DC12V/PoE</b> , <b>8mm /F2.0 lens</b> , <b>3D DNR, BLC, DWDR</b>	92091	7	36
	<b>IP HIKVISION CAMERA</b>	<b>DS-2DE 2103-DE3W</b> , IP camera HiK <b>1 megapixel</b> , <b>Mini PTZ Dome</b> , 1/3" CMOS, <b>1280x720</b> , <b>EIS</b> , <b>DWDR, 3D dNR</b> , <b>BLC</b> , IR CUT filter , <b>focal lens 3,6-11 mm ( 3x zoom )</b> , <b>16 x digital zoom</b> , F2.0, 8 privacy masks , <b>PAN-TILT</b> , <b>PAN-0-350"</b> , <b>TILT 0-90"</b> , 300 preset , <b>Detection ( intrusion , line crossing , audio exception detection )</b> , Alarm I/O , <b>DC12V/PoE</b>	92309	4	82
	<b>ANALOG 720P HIKVISION CAMERA</b>	<b>DS-2CE16C0T-IT5</b> , <b>Turbo HD EXIR 720P camera HiK</b> , <b>Bullet Outdoor</b> , <b>1MP Progressive CMOS</b> , <b>1296*732</b> , <b>3,6 mm lens</b> , auto-iris IR cut , 0.1 Lux@F1.2, 0 Lux@IR, ICR, up to 80m IR Range, AES , 25 fps, outdoor IP 66, <b>DC12V</b>	99825	12	22
	<b>ANALOG 720P HIKVISION CAMERA</b>	<b>DS-2CE16C0T-IR</b> , <b>Turbo HD 720P camera HiK</b> , <b>Bullet Outdoor</b> , 1/3" Progressive CMOS, <b>1280*720</b> , <b>3,6 mm lens</b> , auto-iris IR cut , 0.1 Lux@F1.2, 0 Lux@IR, ICR, up to 20m IR Range, AES , 25 fps, outdoor IP 66, <b>DC12V</b>	99826	14	16

	<b>ANALOG 720P HIKVISION CAMERA</b>	<b>DS-2CE16C0T-IR , Turbo HD 720P camera HiK , Bullet Outdoor, 1/3" Progressive CMOS, 1280*720 , 3,6 mm lens , auto-iris IR cut , 0.1 Lux@F1.2, 0 Lux@IR, ICR, up to 20m IR Range, AES , 25 fps, outdoor IP 66, DC12V</b>	99826	2	16
	<b>ANALOG 720P HIKVISION CAMERA</b>	<b>DS-2CE16C2T-IR , Turbo HD 720P camera HiK , Bullet Outdoor, 1/3" Progressive CMOS, 1280*720 , 2,8 mm lens , auto-iris IR cut , 0.01 Lux@F1.2, 0 Lux@IR, ICR, up to 20m IR Range, AES , 25 fps, outdoor IP 66, DC12V</b>	99834	2	16
	<b>ANALOG 720P HIKVISION CAMERA</b>	<b>DS-2CE56C0T-IRMM , Turbo HD 720P camera HiK , Dome Outdoor, 1/3" Progressive CMOS, 1280*720 , 2,8 mm lens , auto-iris IR cut , 0.1 Lux@F1.2, 0 Lux@IR, ICR, up to 20m IR Range, AES , 25 fps, outdoor IP 66, DC12V</b>	99827	21	14
	<b>ANALOG 720P HIKVISION CAMERA</b>	<b>DS-2CE56C0T-IRMM , Turbo HD 720P camera HiK , Dome Outdoor, 1/3" Progressive CMOS, 1280*720 , 3,6 mm lens , auto-iris IR cut , 0.1 Lux@F1.2, 0 Lux@IR, ICR, up to 20m IR Range, AES , 25 fps, outdoor IP 66, DC12V</b>	99827	13	14
	<b>ANALOG 720P HIKVISION CAMERA</b>	<b>DS-2CE56C2T-IT3 , Turbo HD 720P camera HiK , Dome Outdoor, 1/3" Progressive CMOS, 1280*720 , 2,8 mm lens , auto-iris IR cut , 0.01 Lux@F1.2, 0 Lux@IR, ICR, up to 40m IR Range, AES , 25 fps, outdoor IP 66, DC12V</b>	99861	29	18
	<b>ANALOG 1080P HIKVISION CAMERA</b>	<b>DS-2CE56D1T-IRMM , Turbo FULL HD 1080P camera HiK , Weatherproof Outdoor, 1/2,7" Progressive CMOS, 1920x1080 , 3,6 mm lens , auto-iris IR cut , 0.01 Lux@F1.2, 0 Lux@IR, ICR, up to 20m IR Range, AES , 25 fps, outdoor IP 66, DC12V</b>	99849	69	26
	<b>DVR HIKVISION</b>	<b>DS-7604HI-ST/A , hybrid video recorder up to 8 cameras , up to 4 analog cameras , up to 5MP resolution recording, Max 8 cameras , HDMI &amp; VGA, 1 SATA interface, 2x USB2.0, Alarm In/Out - 4/1 ,1U housing 19" , Onvif , support Android , iPAD2 , iPhone</b>	99961	11	40
	<b>IP NVR HIKVISION</b>	<b>DS-7616NI-E1/A , IP NVR HiK 16-CH , up to 5MP resolution recording, Max 16x IP cameras, output HDMI &amp; VGA up to 1920x1080 resolution , 1 x SATA interface, no HDD , 1x USB2.0 i 1 x USB 3.0 , alarm I/O ( 4/1 ) , Onvif , support Android , iPAD2 , Iphone</b>	99976	6	60
	<b>TOROIDAL TRANSFO RMER</b>	<b>TSTAS 50/12 , Toroidal transformer, 50W, 16,5V</b>	94500	127	6,4
	<b>TOROIDAL TRANSFO RMER</b>	<b>TSTAS 50/24 , Toroidal transformer, 50W, 24V</b>	94501	24	6,4
	<b>TRANSFO RMER</b>	<b>AWT 102 , Transformer 16/18V, 30VA, DIN RAIL</b>	93192	15	12
	<b>TRANSFO RMER</b>	<b>AWT 250 , Transformator 16/18V, 80VA,DIN RAIL</b>	93194	10	22