

DS-KD-ACF3/S

- 3 Flush mounting module brackets of modular door station: includes gang box, cover screws, lines, etc.
- Stainless steel high quality material

▪ **Specification**

General	
Working temperature	-40 °C to 55 °C (-40 °F to 131 °F)
Dimension (W × H × D)	For cover 337.8 × 124 × 4 mm (13.3" × 4.88" × 0.16") For gang box 338.8 × 135 × 56 mm (13.33" × 5.31" × 2.20")
Material	Cover: stainless steel Gang Box: plastic


▪ **Available Model**

DS-KD-ACF3/S

▪ **Accessory**



DS-KD8003-
IME1(B)/NS



DS-KD-IN



DS-KD-
KK/S



DS-KD-KP



DS-KD8003Y-
IME2/S



DS-KD8003-
IME1/NS



DS-KD-DIS




DS-KD-KK



DS-KD-
KP#EU



DS-KD8003-
IME1/S



DS-KD-BK



DS-KD8003-IME2/S



DS-KD-KP/S



DS-KD8003-
IME2/NS




DS-KD-
INFO



DS-KD8003-
IME1(B)/S




DS-KD8003-IME2



DS-KD-M



DS-KD8003Y-IME2/NS



DS-KD-E



DS-
KD8003-
IME1

Headquarters

No.555 Qianmo Road, Binjiang District,
Hangzhou 310051, China
T +86-571-8807-5998
www.hikvision.com



Follow us on social media to get the latest product and solution information.

