

**DS-KD-ACF2/S**

- 2 Flush mounting module brackets of modular door station: includes gang box, cover screws, lines, etc.
- Stainless steel high quality material

▪ **Specification**

General	
Working temperature	-40 °C to 55 °C (-40 °F to 131 °F)
Dimension (W × H × D)	For cover 236 x 124 x 4 mm (9.29" x 4.88" x 0.16") For gang box 237 x 135 x 56 mm (9.33" x 5.31" x 2.20")
Material	Cover: stainless steel Gang Box: plastic


▪ **Available Model**

DS-KD-ACF2/S

▪ **Accessory**



DS-KD8003-  
IME1(B)/NS



DS-KD-IN



DS-KD-KK/S



DS-KD-KP




DS-KD8003Y-  
IME2/S



DS-KD8003-  
IME1/NS




DS-KD-DIS



DS-KD-KK




DS-KD-KP#EU



DS-KD8003-IME1/S



DS-KD-BK



DS-KD8003-IME2/S




DS-KD-KP/S



DS-KD8003-  
IME2/NS




DS-KD-INFO



DS-KD8003-  
IME1(B)/S




DS-KD8003-  
IME2



DS-KD-M



DS-KD8003Y-IME2/NS



DS-KD-E



DS-KD8003-  
IME1

**Headquarters**

No.555 Qianmo Road, Binjiang District,  
Hangzhou 310051, China  
T +86-571-8807-5998  
www.hikvision.com



Follow us on social media to get the latest product and solution information.

